

Scissor Lift

Used Scissor Lift Ohio - Scissor lifts are industrial machines that rely on a configuration of crisscrossed linked steel arms. Scissor lifts create an “X” support network to facilitate vertical lifting. Workers use a sizeable rectangle platform that is secured to the top of the lifting apparatus. To maintain operator safety, there are support railings at the top of the platform. The scissor lift has a low profile to maintain stability on hard, compact surfaces like concrete. Scissor lifts can use an electric motor or a combustion engine to transport and lift the machine. Since the scissor lift functions on a vertical plane, if it needs to be repositioned horizontally, the operator will have to move it into place. Rough terrain and regular lift models rely on the same lifting technology to maneuver the lifting components. The rough terrain units are designed for driving on gravel and uneven surfaces. Oversized all-terrain tires often accompany rough terrain models to provide higher ground clearance. Some scissor lifts have 4WD to travel through difficult and muddy locations. Thanks to the higher center of gravity lower lifting heights are available. If you have never operated one before, scissor lifts can seem strange or intimidating. Images of swaying in the wind and being precariously balanced may come to mind. Feel secure knowing you will not feel the lift even moving and you will be in a stable position. Numerous safety tests need to be completed prior to being capable of being sold. It is natural to feel uncomfortable if you are new to this type of equipment. Safety precautions need to be maintained at all times. Understanding what you will be using your scissor lift for will help ensure you have the right type of model. The model you will prefer will largely depend on the types of jobs you plan on completing. How high you need to travel and how heavy the loads you will be transporting are all key factors. There are specific models available to take you to extreme heights. Compact units are often used for interior locations including factories, warehouses or freight locations. If you do not need the highest capacity model, there is no need to choose the largest unit available. Electric scissor lifts have optional platforms and railings to offer maximum safety features. These machines are designed to be reliable and safe. If these machines did not follow strict safety rules and particular inspections, they would not be for sale across the globe. Scissor lifts help people accomplish tasks that are otherwise unattainable, unreachable or inaccessible. As these machines vertically elevate, the machine is transported into the correct location before lifting occurs. The operator will ensure it is the proper position prior to engaging the lift. Numerous safety features have been designed into the machine. It is essential to follow operational guidelines to maintain everyone’s safety. Scissor lifts offer a secure basket workspace making many tasks much safer than trying to complete while dangling off of a ladder or scaffolding. The majority of scissor lifts utilize batteries that are internally mounted inside of the base of the lift to generate power. Electric scissor lifts need to be charged regularly; especially after prolonged work shifts. Many operations charge their equipment daily or change batteries every twelve hours. To facilitate scissor lift charging, the operator can park the machine close to an electrical outlet in a well-ventilated place. The emergency shut-off switch is engaged upon parking to prevent other operators from driving off while plugged in. The large red button found inside the lift or the basket, close to the charger or the control box is the emergency shut-off switch. Newer scissor lifts commonly have their battery charger on the right side of the unit. Older machines may feature a battery charger on the rear of the machine. The charger for the machine is plugged into the AC extension cord within a well-ventilated area and the extension cord plugs into an electrical outlet. The length of the electrical cord on the battery charger needs to be short to prevent damage or running over it. There is a high possibility of danger if the extension cord dropped out of the battery charger while the machine is in operation. Once the scissor lift is plugged in, all of the lights on the charger should ideally become illuminated. The batteries will automatically begin charging once plugged in. The battery lights will switch to green once complete charging has occurred and the charger will shut off. Older scissor lifts need to use a meter to show zero volts once they are completely charged and this charger also turns off after completion. After the batteries are completely charged the scissor lift can complete

another shift. Many places employ their scissor lift for 24 hours a day by having additional batteries continually charging.